CHARLES B. GORDON THOMAS P. SCHILLER DAVID B. DEIOMA JOSEPH J. CORSO HOWARD G. SHIMOLA JEFFREY J. SOPKO JOHN P. MURTAUGH JAMES M. MOORE MICHAEL W. GARVEY RICHARD A. SHARPE RONALD M. KACHMARIK PAUL A. SERBINOWSKI BRIAN G. BEMBENICK AARON A. FISHMAN

PATENT, TRADEMARK, COPYRIGHT AND RELATED INTELLECTUAL PROPERTY LAW

PEARNE & GORDON LLP

ATTORNEYS AT LAW

1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OHIO 44114-3108

TEL: +1 (216) 579-1700 FAX: +1 (216) 579-6073 EMAIL: ip@pearnegordon.com

SUZANNE B. GAGNON DEBORAH L. CORPUS RAYMOND N. RUSSELL, PH.D. UNA L. LAURICIA STEVEN J. SOLOMON GREGORY D. FERNENGEL BRAD C. SPENCER, P.E. BRYAN M. GALLO OF COUNSEL LOWELL L. HEINKE THADDEUS A. ZALENSKI PATENT AGENTS TOMOKO ISHIHARA CHRISTOPHER P. DEMAS J. GREGORY CHRISMAN IVAN R. GOLDBERG

STEPHEN S. WENTSLER

ROBERT F. BOD!

January 24, 2007

Mail Stop Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

U.S. Patent No.: 7,056,556 B2

Issued: June 6, 2006 Inventor: Robert S. Burns

Our Docket: 36091

Sir:

A Certificate of Correction under 35 U.S.C. 254 is hereby requested to correct Patent Office printing errors in the above-identified patent. Enclosed herewith is a proposed Certificate of Correction (Form No. PTO-1050) for consideration along with appropriate documentation supporting the request for correction.

It is requested that the Certificate of Correction be completed and mailed at an early date to the undersigned attorney of record. The proposed corrections are obvious ones and do not in any way change the sense of the application.

We understand that a check is not required since the errors were on the part of the Patent and Trademark Office in printing the patent.

Very truly yours,

Richard A. Sharpe, Reg. No. 34722

RAS:alw Enclosures U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

OLIVINIONIE OF CONNECTION		
DATENTANO	Page <u>1</u> of <u>1</u>	
PATENT NO. : 7,056,556		
APPLICATION NO.: 10/763,491		
ISSUE DATE : June 6, 2006		
INVENTOR(S) : Robert S. Burns		
It is certified that an error appears or errors appear in the above-identified patent is hereby corrected as shown below:	and that said Letters Patent	
Column 14, Claim 19, Line 16: Please delete "a", and insert thereforthe Column 15, Claim 22, Line 22: Please delete "a", and insert thereforthe Column 15, Claim 23, Line 30: Please delete "claim 23", and insert thereforclaim 22		

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Richard A. Sharpe, Pearne & Gordon LLP, 1801 East 9th Street, Suite 1200, Cleveland, Ohio 44114-3108

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

	Application No.	Applicant(s)	
Motion of Allowahility	10/763,491	BURNS, ROBERT S.	
Notice of Allowability	Examiner	Art Unit	
	Brenda A. Lamb	1734	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. Mail This communication is responsive to amendment of 10/24/2005. Drawings filed 1/23/2004 are acceptable for examination purposes.			
2. ☑ The allowed claim(s) is/are <u>2-10 and 12-90</u> .			
Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority decomposite bases.			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892)	5 🗆 Neg. (1 () 1 p		
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		atent Application (PTO-152)	
	 Interview Summary Paper No./Mail Date 		
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛭 Examiner's Amendo	nent/Comment	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. Examiner's Stateme	nt of Reasons for Allowance	
5	9. Other		

Art Unit: 1734

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows to correct obvious typographical errors:

at line 8 of claims 77 and 79-90 before "driving force" delete "a" and insert -- the --; and

at lines 12-13 and line 19 of claim 2, at lines 12-13 and line 19 of claim 4, at lines 12-13 and line 23 of claim 12 at lines 12-13 and line 23 of claim 13 at lines 12-13 and line 19 of claim 16, at lines 12-13 of claim 21, at lines 21-22 of claim 33, at lines 13-14 of claim 37, at lines 18-19 and at line 21 of claim 38, at lines 12-13 of claim 41, at lines 16-17 and line 19 of claim 49 before "driving force" delete "a" and insert -- the --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brenda A. Lamb whose telephone number is (571) 272-1231. The examiner can normally be reached on Monday and Wednesday-Friday with alternate Tuesdays off.

*Claim 13 is renumbered as claim 19.

**Claim 16 is renumbered as claim 22.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Fiorilla can be reached on (571) 272-1187. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brenda A Lamb
Examiner

Art Unit 1734

BAL .

Amdt. dated October 19, 2005

Reply to Office action of July 19, 2005

being less than the magnitude of the driving force.

wherein the discharging mechanism includes at least one plunger located at each cradle that is adapted to fit within the canister of adhesive held in the cradle, each plunger being connected to the actuating mechanism for displacement within a respective canister so as to discharge the adhesive concurrently with the discharge of the adhesive from the other canisters upon the actuating mechanism selectively providing a driving force to the discharging mechanism.

* 13. (Currently amended) The apparatus of claim 11 An apparatus for concurrently applying to a substrate a plurality of substantially parallel strips of an adhesive, the apparatus comprising:

a carrier having motive supports for transporting the carrier along a path of travel over the substrate;

a plurality of cradles mounted to the carrier and arranged in a line

transversely of the path of travel of the carrier over the substrate, each cradle being
adapted to hold a canister from which adhesive is discharged;

a discharging mechanism mounted on the carrier and adapted, when a driving force is applied, to concurrently discharge the adhesive from the plurality of canisters in the cradles;

an actuating mechanism mounted on the carrier for selectively providing a the driving force to the discharging mechanism; and

a force-resisting device connected to the discharging mechanism for providing a resisting force to the driving force selectively provided by the actuating

Page 8 of 45

*Claim 13 is renumbered as claim 19.

Amdt. dated October 19, 2005

Reply to Office action of July 19, 2005

mechanism to the discharging mechanism, the magnitude of the resisting force being less than the magnitude of the driving force.

wherein the discharging mechanism includes a pair of plungers located at each cradle, the pairs of plungers at each cradle being adapted to fit within a complementary pair of segregated compartments that contain adhesive reactants within the canister held in the cradle and being connected to the actuating mechanism for displacement within the pair of segregated compartments in the canister upon the actuating mechanism selectively providing a driving force to the discharging mechanism, including the plungers, whereby the adhesive reactants from the pair of segregated compartments are displaced into a mixing nozzle associated with the canister from which an adhesive produced by the mixing of the two adhesive reactants in the mixing nozzle is discharged concurrently with the discharge of the adhesive from the other canisters.

- 14. (Original) The apparatus of claim 12 wherein the discharging mechanism further includes a single pressure bar that is connected to each plunger and to the actuating mechanism for concurrently displacing the plungers within respective canisters upon the actuating mechanism selectively providing a driving force to the discharging mechanism, including the pressure bar.
- 15. (Original) The apparatus of claim 13 wherein the discharging mechanism further includes a single pressure bar that is connected to each pair of plungers and to the actuating mechanism for concurrently displacing the pairs of plungers within

Amdt. dated October 19, 2005

Reply to Office action of July 19, 2005

pairs of segregated compartments of respective canisters upon the actuating mechanism selectively providing a driving force to the discharging mechanism, including the pressure bar.

16. (Currently amended) The apparatus of claim 11 An apparatus for concurrently applying to a substrate a plurality of substantially parallel strips of an adhesive, the apparatus comprising:

<u>a carrier having motive supports for transporting the carrier along a path of travel over the substrate:</u>

a plurality of cradles mounted to the carrier and arranged in a line

transversely of the path of travel of the carrier over the substrate, each cradle being adapted to hold a canister from which adhesive is discharged;

a discharging mechanism mounted on the carrier and adapted, when a driving force is applied, to concurrently discharge the adhesive from the plurality of canisters in the cradles;

an actuating mechanism mounted on the carrier for selectively providing a driving force to the discharging mechanism: and

a force-resisting device connected to the discharging mechanism for providing a resisting force to the driving force selectively provided by the actuating mechanism to the discharging mechanism, the magnitude of the resisting force being less than the magnitude of the driving force,

wherein the actuating mechanism includes a telescoping member having opposed ends and a driving device for developing a driving force, one of the

** Claim 16 15 renumbered as claim Page 10 of 45 22.

Amdt. dated October 19, 2005

Reply to Office action of July 19, 2005

opposed ends of the telescoping member being attached to the driving device, whereby the driving force acts to extend the telescoping member, and the other of the opposed ends of the telescoping member being attached to the discharging mechanism for transmitting to the discharging mechanism the driving force developed by the driving device.

Claim 16 15 renumbered as Claim 22, Dot claim

17. (Original) The apparatus of claim 16 wherein the discharging mechanism

includes at least one plunger located at each cradle that is adapted to fit within the canister of adhesive held in the cradle, each plunger being connected to the actuating mechanism for displacement within a respective canister so as to discharge the adhesive concurrently with the discharge of the adhesive from the other canisters upon the actuating mechanism selectively providing a driving force to the discharging mechanism.

18. (Original) The apparatus of claim 16 wherein the discharging mechanism includes a pair of plungers located at each cradle, the pairs of plungers at each cradle being adapted to fit within a complementary pair of segregated compartments that contain adhesive reactants within the canister held in the cradle and being connected to the actuating mechanism for displacement within the pair of segregated compartments in the canister upon the actuating mechanism selectively providing a driving force to the discharging mechanism, including the plungers, whereby the adhesive reactants from the pair of segregated compartments are displaced into a mixing nozzle associated with the canister from which an adhesive